

Instructions For Use

INFACOL is available in 50ml, 55ml or 85ml packaging

Indication

INFACOL oral suspension is indicated for the treatment of colic and griping pain in babies and young children. The pain associated with colic may be caused by the build-up of small gas bubbles trapped in baby's tummy. Infacol helps bring up trapped wind. It can be given from birth onwards and may be given for an unlimited period.

Mechanism of action

INFACOL contains simeticone at a concentration of 40 mg/ml as main ingredient. Simeticone is an antiflatulent which helps bring up wind trapped in the tummy. The simeticone helps the little trapped gas bubble join into bigger bubbles, which baby can easily bring up as wind.

Instructions for use

First, shake the bottle.

Draw up one dropper full by squeezing the rubber bulb twice.

Wipe any excess on the outside of the dropper into the bottle.

To administer, squeeze the bulb and release the INFACOL onto the back of baby's tongue.

The content of the bottle is up to 100 doses (50ml), 110 doses (55ml) or 170 doses (85ml).

Dosage:

one dropper full (0.5ml) given before each feed.

This may be increased temporarily to two droppers full (1ml).

INFACOL should be used for several days to achieve the best results.

Continued usage may help to prevent a further build up of wind.

Warnings

Simeticone INFACOL is inert and not absorbed into the body.

INFACOL is not known to cause any unwanted effects.

Also contains: Saccharin Sodium, Hypromellose, Orange Flavour, Methyl Hydroxybenzoate, Propyl Hydroxybenzoate and Purified Water.

Methyl and propyl hydroxybenzoates may cause allergic reactions (possibly delayed). If you think baby may be allergic to any of the ingredients, ask your doctor or health visitor before giving INFACOL.

If symptoms do not improve, seek medical advice.

Storage and Expiry Date

Keep INFACOL out of sight and reach of children.

Do not use after the expiry date printed on the bottle and carton.

Use within 28 days after opening.

This product needs to be disposed as per local laws and regulations.

Date of revision: February 2024

Medical Device



Merckle GmbH, Graf-Arco-Str. 3 89079 Ulm, Germany

Distributor:

Teva UK Limited, Ridings Point, Whistler Drive, Castleford, WF10 5HX, United Kingdom.



