






 <p>e-mail : prasad.pdp@gmail.com Ph : +91-9845609386</p>	Artwork No.	121017/2		Colours Used
	Customer	Bells Healthcare		Cyan
	Description	Dual Action Chesty Cough Syrup_200m_Peeloff Lab		Magenta
	Market	UK		Yellow
	Language	English		Black
	Size	168.45 x 65mm		PANTONE 877 C
	Min. Font Size	7 pt		
	Page No.	1 of 1		
	Version No.	7		Keyline
	Date	23-05-18		Braille Text
	Software	Coreldraw 12		
Packaging Development	Quality Assurance (QA)	Quality Control (QC)	Production	

168.45

Top page

65


Bell's Healthcare

DUAL ACTION

Chesty Cough

Oral Solution

**Diphenhydramine Hydrochloride,
Ammonium Chloride**



✓ Soothes and relieves irritating chesty coughs

200ml

About this product
Bell's Healthcare Dual Action Chesty Cough Oral Solution is taken to relieve symptoms of irritating Chesty Cough associated with upper chest infections.

Warnings
Do not use:

- If you are allergic to Diphenhydramine or any of the other ingredients of Bell's Healthcare Dual Action Chesty Cough.
- If you are breast-feeding or if you have liver or kidney problems.
- If you are taking medicines for depression such as Tranylcypromine, Phenelzine or Isocarboxazid or within 14 days of stopping taking these medicines.

Do not give to children under 6 years.

Do not take if you are pregnant.

Talk to your doctor before use if you are suffering from a chronic or persistent cough, if you have asthma, suffering from acute asthma attack or where cough is accompanied by excessive secretions.
Do not use to sedate a child.

CAUTION: This medicine may cause drowsiness, if affected, do not drive or operate machinery. Avoid alcoholic drink.

Dosage
Adults and children over 12 years: Take one or two 5ml spoonfuls (5ml to 10ml) every two or three hours.
Children from 6-12 years: Take one 5ml spoonful every three or four hours.
Not to be used on children for more than 5 days without the advice of a doctor. Medical attention should be sought if the child's condition deteriorates during treatment.
Do not give to children under 6 years.

PL 03105/0050
C71-0410 Version A Revised 05/2018

PEEL BACK AT RED TAB FOR FURTHER IMPORTANT INFORMATION. DO NOT REMOVE.

Active ingredients
Diphenhydramine Hydrochloride 14mg per 5ml, Ammonium Chloride 130mg per 5ml.

Full ingredients list
Sucrose, Glucose, Ethanol, Amaranth, Methyl Hydroxybenzoate and Sorbitol.

Side effects
If you notice these or any other side effects, stop using the product and consult your doctor or pharmacist.
Common: Drowsiness, excitation, headache, movement (coordination) disorder, urinary retention, dry mouth, blurred vision, stomach upset, thickened chest mucous.
Rare: Low blood pressure, involuntary muscle spasm, dizziness, confusion, depression, sleep disturbances, tremor, fits, palpitation, irregular heartbeat, allergy reactions, blood disorders and liver dysfunction.

Storage
Keep all medicines out of the sight and reach of children.
Do not store above 25°C. Store in the original container.

Manufacturer and Product Licence Holder:
Bell, Sons & Co. (Druggists) Ltd.,
Southport, PR9 9AL, England.

Base page